



## HONEY COAT RUST PROOFING

Penetrating formula to seep deep into seams.  
20 oz. aerosol # AHC

### 360° SPRAY WAND

Quickly get protection where it's needed with a 360° spray wand. Wand can be cleaned with brake cleaner.  
# WAHC



## HONEY COAT APPLICATOR GUN

Professional Grade. Comes with everything Needed. Wax sold separately.  
# GWAX



## HONEY COAT

### PARAFFIN RUST PROOFING

Penetrating formula will flow into hard to reach seams. Remains tacky after application. Provides superior rust protection.

- Gallon 2/case # BWH-1
- Quarts 12/ case # BWH
- Quart Vari-Coat Gun # GUC
- Quart Extension Wand, 32", 360° # WGUC360



32" 360° Spray wand # WGUC360

**D1**

**COATINGS  
PRIMERS & PAINTS**

WGUC360

## RUBBER COAT

**“ PAINTABLE ”**

**“ THE BEST QUALITY ”**

All rubber, no asphalt, no-bleed, rubber undercoat for fender replacements, section repairs, weld joints, rust holes, trunk interiors, lower body surfaces  
Fast drying, paintable, waterproofs, sound deadens and protects. New V.O.C Compliant formula.

With the all New “A1” Abrams Extension Tube

20 oz.      Black      # ARC  
Aerosol



## AUTO COAT

### RUBBERIZED UNDERCOATING

All rubber, no asphalt protective underbody coating. Bonds to bare or painted metal. Fast drying, high abrasion resistance, sound deadens. Can be painted when dry. No bleed-through

Quart,              Black      # BAC  
5 Gal.              Black      # BAC-5  
Vari-Coat Gun      # GUC  
24" Extension wand      # WGUC  
32" 360 Spray wand      # WGUC360

## BLACK OUT

### Rubberized Undercoat

Prevents rust  
Seals & protects  
Sound deadens  
High density / heavy duty

20 oz.      Black      # ABO  
Aerosol



**D2**

**COATINGS  
PRIMERS & PAINTS**

# VERS-E-PRIME

## THE NEXT GENERATION IN 2K EPOXY PRIMER




### VERS-E-PRIME

**High Build 2K Epoxy Primer-Surfacer-Sealer**  
Vers-E-Prime provides improved adhesion for body fillers, putties, and additional primer/surfacers. There is no chance of residual acids (found in acid-etch or self-etching primers) affecting fillers, putties and adhesives.

- May be applied to Steel, galvanized steel, aluminum, SMC, fiberglass, and cured/sanded primer and paint.
- Vers-E-Prime may be applied as a "High Build Epoxy primer" (1:1 mix ratio)
- Reduced 10% (1:1:10% mix ratio) with Crest Urethane Reducer (BURM) to achieve "Standard build".
- With further reduction, (1:1:15-20% mix ratio), Vers-E-Prime may be applied as a "Sealer/Groundcoat".

Primer, # BVEP  
Activator # BVEPA



### UNIVERSAL URETHANE REDUCER

- Compatible with all 2K urethane primers and clearcoats
- All Virgin solvents, not recycled
- Alcohol Free, Moisture Free
- Gallon can, 2 per case.


Fast,	(Temperature Range 60° - 70°)	# BUR-F
Medium,	(Temperature Range 65° - 80°)	# BUR-M
Slow,	(Temperature Range 75° - 90°)	# BUR-S

D3

COATINGS  
PRIMERS & PAINTS

# URE PRIME 2

## HIGH PERFORMANCE 2K URETHANE PRIMER SURFACER



### URE-PRIME 2

#### High Performance 2K Acrylic Urethane Primer-Surfacer-Sealer

A Premium Quality, High Build, 2K Primer-Surfacer that provides outstanding results over a wide range of applications from Spot Repair to Overall Refinish

Mix 4:1 for incredible high build or for additional flow or to be used as a sealer, mix 4:1:1 using a quality universal urethane reducer.

Fast cure with a long pot life to improve productivity. Dry-to-Sand: 1-1½ Hours (75°F, 50% RH)

Formulated with adhesion promoters and corrosion inhibitors for bare metal applications



Light gray in color – provides an excellent shrink-free surface for basecoat color application  
Can be tinted using standard basecoat colors.

Gallon # BUP2

### URE-PRIME 2 ACTIVATOR

Activates URE-PRIME 2. Use a mix ratio of 4 parts primer to one part activator.

Quart # BUPA2



DESIGNED TO BE TOPCOATED WITH THE ALL URETHANES & BASECOAT COLOR ON THE MARKET TODAY

SIKKENS	SPIES HECKER	HERBERTS STANDOX	GLASURIT	RM DIAMONT	Du PONT	PPG ICI	SHERWIN WILLIAMS
---------	-----------------	---------------------	----------	---------------	---------	------------	---------------------

**D4**

**COATINGS  
PRIMERS & PAINTS**



## ETCH COAT

Self Etching Primer. High solids.  
Provides excellent adhesion to steel, aluminum, stainless and chrome.  
Convenient aerosol saves time and waste.  
Now available in **"Three Popular Colors"**!

The gray is excellent for top coating!

The green is an excellent match for many OEM's factory E-Coats!  
The black is excellent for frames and radiator supports!

20 oz. Aerosol, Gray # APE  
20 oz. Aerosol, Green # APEG  
20 oz. Aerosol, Black # APEB

## WELD SEAL

Heavy duty, zinc rich, fast drying weld-thru primer  
Restores factory zinc coatings on inner panels and underbody areas. Highly resistant to salt corrosion and water.

16 oz. Aerosol # ASW



**D5**

**COATINGS  
PRIMERS & PAINTS**



## HI-BUILD

### Flexible Primer Surfacer

ULTRA High-solids to build and fill quickly.

For urethane bumpers, plastics, fiberglass, metal

Fast drying, easy sanding.

Flexibility is limited to 60° on a 1 1/2" radius.


Use under acrylic lacquer and enamel, basecoat/clearcoat systems.

16 oz. Aerosol  
Gray

# AHBG

16 oz. Aerosol  
Black

# AHBB



## GUNNY SOLV

### Aerosol Paint Gun Cleaner

GUNNY SOLV is an aggressive cleaner for Spray guns, attachments and aerosol spray tips. Also useful for cleaning undercoat and rust proof guns. Can be sprayed on to a cloth to wipe surfaces.

NOT for painted surfaces, rubber or plastic.

20 oz. Aerosol

# AGS



## PRIMA FLEX

### Flexible Primer Surfacer

For urethane bumpers, plastics, fiberglass, metal

High-solids to build and fill quickly.

Designed with a wide fan pattern tip to cover larger areas more easily with a more uniform coat.

Fast drying, easy sanding

Resists chipping and cracking

Helps prevent "bullseyes" and highlights

Use under acrylic lacquer and enamel, basecoat/clearcoat systems.

16 oz. Aerosol

Lt. Gray

# APF

**D6**

**COATINGS  
PRIMERS & PAINTS**



## BUFFALO HIDE 2-PART URETHANE CHIP COAT/ GRAVEL GUARD

- Formulated to match OEM coatings.
- Buffalo Hide may be applied to properly prepared, primed or painted surfaces and factory E-Coat.
- **Do not apply to bare metal.**
- For bare metal, prime (steel/aluminum) with Crest Vers-E-Prime 2K Epoxy Primer (Stock No. BVEP/BVEP-A).
- Mix Ratio is 4:1 (4 parts resin to 1 part activator).
- Product may be tinted.
- Recommended coating thickness: 15 mil per coat, 30 mil total dried film thickness.
- Refer to label for application and paint times.

Resin, Quart # BBC  
Activator, 1/2 Pint, (8oz.) # BBCA

## GUIDE COAT

### Fast Dry Black Lacquer

Ensures complete sanding of primed surfaces.  
Wide spray pattern, Economical

16 oz. Aerosol # AG-B



## FLEXIBLE BUMPER COAT

### FINISH COAT OR PRIMER

Matches O.E.M. finishes with excellent adhesion & flexibility.  
Recoats bumpers, filler panels, moldings, underhood plastics.

16 oz. Aerosol

Gloss Black


# AF 1

Satin Black

# AF 2

Satin Black, Quart

# BFB



**D7**

**COATINGS  
PRIMERS & PAINTS**



## TRIM COAT

### SELF ETCHING PRIMER AND FINISH COAT

Matches O.E.M. finish for automotive exterior trim.  
Provides superior adhesion to stainless, chrome, steel and aluminum.  
Will not crack or peel. No primer required

Gloss Black, 16 oz. Aerosol # AT 1  
Satin Black, 20 oz. Aerosol # AT 2



## FILM THICKNESS GAUGE

### REDUCE COME BACKS

This tool will help you understand why things are  
Not looking as good as you would like !

Gauge # ZFCTG

## BLACK CHIP COAT

### CURRENT O.E.M. FACTORY MATCH

Superior protection for rocker panels Tough fast dry  
paintable texture coating. High build wet look!

16 oz. Aerosol # ACB



**ATTENTION!** This product is KNOWN to be prone to ABUSE!  
Pay attention to ALL directions, cautions and bullets!

SOLVENT ENTRAPMENT will cause "BLISTERS" to form if top-  
coated before the product is dry and ALL solvents have escaped!

Pay attention to MAXIMUM mil thickness (10 mil) and the  
minimum dry times as printed on the label! Check to make sure  
product is completely dry and all solvents have escaped before  
topcoating!

There is NO warranty on this product!

FOR USE BY PROFESSIONALS

D8

COATINGS  
PRIMERS & PAINTS







## QWIK CLEAR

Time saving and waste reducing aerosol lacquer clear coat. For color match test panels, door jambs, under hood and trunk areas. Other small parts as well. No mixing, no spray gun clean up. Fast dry time with a high gloss. 12 per case.

16 oz. Aerosol

# AQC



## SPRAY PAINT

This bright white special fast dry lacquer is ideal for auto and truck refinishing. 16 oz. Aerosol. 12 per case.

GMC White # AM-11

This lacquer paint is great for recoating diamond plate, truck rims and bumpers. 16 oz. Aerosol. 12 per case.

Dull Aluminum # AM-16

## ENGINE ENAMEL SPRAY PAINTS

High quality, fast dry. Smooth even coverage. Heat resistant. 16 oz. Aerosol. 12 per case.

Gloss Black # AM 1  
 Flat Black # AM 2  
 Semi Gloss Blk # AM 12



D9

COATINGS  
 PRIMERS & PAINTS



## MACH 1+ - 30 minute Clear SUPER PRODUCTION URETHANE CLEAR COAT

- MACH 1+ is a SUPER-FAST curing, production clear for bumpers, spot repairs, cut-ins, jams and single panel applications where a fast delivery is required.
- Same Day delivery!
- Two Coat Coverage
- 4:1 Mix ratio
- 30 Minute Sand / Buff (2 Coats @ 77°F, 50% R.H.)
- MACH 1+ has excellent Flow and Gloss

Clear / Gallon

Mach 1

# BCM1

Activator / Quart

Activator

# BAM1



## HYPER CLEAR UNIVERSAL HIGH PRODUCTION URETHANE CLEAR COAT

- Hyperclear<sup>2</sup> is a very "user-friendly" product. It is easy to spray and fast-curing.
- Hyperclear<sup>2</sup> is an excellent choice for "production" shops or for shops with a "less-than-perfect" environment (old booth or no booth).
- Because Hyperclear<sup>2</sup> is fast-curing, it produces minimal overspray and doesn't trap as much dirt as a slow clear.
- Hyperclear<sup>2</sup> is standing up to the test of time very well. It is maintaining its gloss and holding up over time.

Clear / Gallon  
Hyper Clear

# BHC

Activators / Quart  
Spot Activator  
Panel Activator  
Overall Activator

# BHCA65

# BHCA75

# BHCA85



**D10**

**COATINGS  
PRIMERS & PAINTS**

# THE CALIBER LINE OF CLEARCOATS : WHAT'S IN YOUR GUN?




## CALIBER 50 FULL AUTO RAPID CURE URETHANE CLEAR COAT

With this clear, you can paint and deliver a car in the same day! Buff the car in as little as 2 hours. Twice the speed of standard clears.

- 2:1 mix ratio
- 2 coat coverage, 49% solids (By weight, ready-to-spray)
- 3.5 V.O.C. - Ready-to-Spray, (National Rule Compliant)
- Compatible with all basecoat manufacturers' paints, including waterborne. Not for acrylic lacquer.
- Provides outstanding film build, gloss and D.O.I. (distinctness of image).



Clear / Gallon	# BCC50
Caliber 50	
Activators / Quart	
Spot Activator	# BCCA-60
Panel Activator	# BCCA-70
Overall Activator	# BCCA-80



## CALIBER 41 HIGH VISCOSITY OVERALL URETHANE CLEAR COAT

- Caliber 41 is a higher solids / higher viscosity clear with a longer open time.
- The longer open time makes Caliber 41 an excellent choice for overall refinish applications and shops with heated booths with good airflow or in hotter climates.

Clear / Gallon	# BCC
Caliber 41	
Activators / Quart	
Spot Activator	# BCCA-60
Panel Activator	# BCCA-70
Overall Activator	# BCCA-80





**CALIBER 38 SPECIAL**  
**O.E.M. APPEARANCE PRODUCTION URETHANE CLEAR COAT**

- Caliber 38 Special is user friendly and easy to spray but it still has enough viscosity to avoid being called “thin”. A painter will be able to match the OEM appearance / texture with Caliber 38 Special.
- This is Crest’s most popular Clear Coat.

Clear / Gallon  
 Caliber 38                    # BCC-38

Activators / Quart  
 Spot Activator            # BCCA-60  
 Panel Activator            # BCCA-70  
 Overall Activator        # BCCA-80  
 Extra Slow Activator    # BCCA-90

